



Macclesfield, Cheshire SK10 2BN

## DECLARATION OF CONFORMANCE

DoC N°: JCI/FD54S

<b>Product Type:</b>	54 Range - Timber French Door
<b>Intended Use:</b>	For use in domestic and commercial premises Not intended for use on escape route
<b>Declared System of Assessment Performance:</b>	3
<b>Provisions to which the Product Conforms:</b>	Annex ZA of BS EN 14351-1:2006+A1:2010
<b>Reference to Supporting Product Certification and/or Test Reports</b> <i>(supportive of compliance)</i> :	Thermal Performance Report CU19081-1 Weather Tightness Report W19375-1
<b>Declared Performance:</b>	<b>Performance</b>
<b>Essential Characteristics</b>	
Resistance to Wind Load:	Class A3
Watertightness:	Class 3A (100pa)
Dangerous Substance:	No emissions of dangerous substances emitted
Load Bearing Capacity of Safety Device:	Npd
Thermal Transmittance:	1.4w/(M <sup>2</sup> K)
Air Permeability:	Class 4 (600pa)

This declaration of performance is issued under the sole responsibility of JCI Limited.

Signed for and on behalf of the Company by

**Name of Representative:** John Collins

**Job Title:** Managing Director

**Representative Signature:**

**Date of Issue:** 19th November 2019

**Product CE Marking Detail:**

